ThinkPad X13 Gen 1 (Intel) 20T20033GE

Product

ThinkPad X13 Gen 1 (Intel)

Region

WE

Country/Region

Germany

Machine Type

20T2

TopSeller

TopSeller

Processor

Intel Core i5-10210U (4C / 8T, 1.6 / 4.2GHz, 6MB)

Graphics

Integrated Intel UHD Graphics

Chipset

Intel SoC Platform

Memory

16GB Soldered DDR4-2666

Storage

512GB SSD M.2 2280 PCIe NVMe Opal2

Display

13.3" FHD (1920x1080) WVA 300nits Anti-glare

Touchscreen

None

Media Reader

MicroSD Reader

Ethernet

100/1000M via Optional Adapter

Optical

None

WLAN + Bluetooth

Intel AX201 11ax, 2x2 + BT5.0

WWAN

Fibocom L850-GL

SIM Card

None

Smart Card Reader

Smart Card Reader

Monitor Cable

None

Bundled Accessories

None

Case Material

PPS (Top), Magnesium / Aluminum (Bottom)

Camera

720p + IR with ThinkShutter

Microphone

2x, Array

Color

Black

Keyboard

Backlit, German

Fingerprint Reader

Touch Style, Match-on-Chip

NFC

None

TPM

Discrete TPM 2.0

Battery

Integrated 48Wh

Power Adapter

65W USB-C

System Management

None

Operating System

Windows 10 Pro 64. German

Bundled Software

None

Base Warrantv

3-year, Depot

Bundled Service

None

EAN/UPC/JAN

0194778781060

End of Support

2026-12-05

Announce Date

2020-05-22

Recommended Services

Best

5Y Premier Support Upgrade from 3Y Depot/CCI (5WS0T36204)

Better

4Y Premier Support Upgrade from 3Y Depot/CCI (5WS0T36185)

Good

3Y Premier Support Upgrade from 3Y Depot/CCI (5WS0T36152)

Notes:

Battery life is an estimated maximum. Actual battery life may vary based on many factors, including screen brightness, active applications, features, power management settings, battery age and conditioning, and other customer preferences.

L

WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.



https://psref.lenovo.com

Visit psref website for the latest version of Product specifications Reference.

© Lenovo, 2020. All rights reserved.





ThinkPad X13 Gen 1 (Intel) Platform Specifications

Processor 10th Congretion Intel® Coroll i2 / i5 / i7 Processor											Smart aard road-	Cmayt payd yaaday Optional, Cmayt payd yaaday			
Processor	10th Generation Intel® Core™ i3 / i5 / i7 Processor											Smart card reade Media reader	Smart card reader Optional: Smart card reader Media reader MicroSD card reader, in the combo slot with nano-SIM card		
	Process Number			# of reads F	Base Frequency	Max Tur Freguen		ne Mei	mory Type		rocessor Graphics	Ports	Two USB 3.2 Gen 1 (one Always On),		
	i3-1011		ores In 2	reads 1	2.1 GHz	4.1 GH		3		G	arapilieS	1	one USB 3.2 Type-C Gen 1 (with the function of Power Delivery and DisplayPort),		
	i5-1011		-	-	1.6 GHz	4.1 GH 4.2 GH		_		- [one USB 3.2 Type-C Gen 2 / Thunderbolt 3 (with the function of PD and DP),		
	i5-10210			\vdash	1.6 GHz 1.7 GHz	4.2 GH 4.4 GH		_	DDR4-2666	i	Intel UHD		HDMI 1.4b, Ethernet extension connector,		
	i7-1051		4	8	1.7 GHZ 1.8 GHz	4.4 GH 4.9 GH	_	_	J117-∠U00	′ G	araphics		combo slot of nano-SIM card (WWAN models) and microSD card reader, headphone / microphone combo jack, optional smart card reader,		
	i7-1051			 	1.8 GHz	4.9 GH		_					side docking connector, security keyhole		
			_			UF	LE OIVIE					4	* Depending on many factors, actual data transfer speed may be lower than theoretical speed		
Graphics	Intel UHD Graphics in processor; supports up to 3 independent displays via native display and two external monitors										l m = = !1	Monitor cable	Lenovo HDMI to VGA Monitor Adapter Lenovo HSB C to VGA Adapter		
	suppor	is up t	INC ی U m lenr	aependi appitore	eπ αispia via HDM	ys via na Liun to 1	ุ่สแชย ติเร¦ 1096∨วา	µiay a 60@ʻ	1110 TWO 6 24Hz1	xiernai	ii monitors	; (optional)	Lenovo USB-C to VGA Adapter Lenovo USB-C to DisplayPort Adapter		
	supports external monitors via HDMI (up to 4096x2160@24Hz), USB-C (up to 4096x2304@60Hz) or Thunderbolt (up to 4096x2304@60Hz)									4@60H	Hz)	Bundled Accy	Optional: ThinkPad Ethernet Extension Adapter Gen 2		
	Intel SoC (System on Chip) platform											Camera (optional	//• HD720p camera with ThinkShutter camera privacy, fixed focus		
Memory		BGB, 16GB or 32GB / 2666MHz DDR4 / soldered to systemboard, no sockets from the solution is actually 3200MHz but run at 2666MHz due to Intel limitation									ckets	Audio ourres	 IR camera and HD720p camera with ThinkShutter camera privacy, fixed focus 		
	ınstalle	ea men	iory is a	actually	3∠UUMHZ Ł	out run at				_		Audio support	HD Audio, Realtek® ALC3287 codec / Dolby® Audio speaker system, 1W x 2 / optional dual array far-field microphone, headphone / microphone combo jack		
Display	Size Resolution Type Surface Touch Bright- Aspect Contrast Color Viewing									Color	Viewing	Keyboard	6-row, spill-resistant, multimedia Fn keys with Unified Communications controls,		
								Ratio	+	_		Neyboard	optional LED backlight		
	13.3" H			TN (O) M/VA	Anti-glare A Anti-glare		250 nits	16:9		45% 72%	_	UltraNav™	TrackPoint® pointing device and buttonless Mylar surface multi-touch touchpad		
	13.3" F	,				N.A. JA	300 nits	16:9				Security	Power-on password, hard disk password, supervisor password, security keyhole		
	13.3" F	HD (19	20x108	O) WVA	Anti-glare	touch	300 nits	16:9	700:1	72%	170°	Security chip	Firmware TPM 2.0 integrated in chipset		
	F F	HD (19	20x108	0)	A		500	40-	1000	722	4700	System Mat (ant)	Discrete TPM 2.0 TCG Certified Intel vPro Technology		
		hinkPad Juard	u Privac	y WVA	Anti-glare	* ⁻	500 nits	16:9	1000:1	72%	170°		er <i>Optional:</i> Touch style match on chip fingerprint reader on the palm rest		
Multi-touch (opt)			. sunn	orts 10	-finaer ae	sture						NFC (optional)	Near Field Communication		
							1					Battery	Integrated Li-Polymer 48Wh battery,		
- · · · · · · · · · · · · · · · · · · ·	 M.2 2242 SSD / PCIe NVMe, PCIe 3.0 x 2 M.2 2280 SSD / PCIe NVMe, PCIe 3.0 x 4 										'	supports Rapid Charge (charge up to 80% in 1hr) with 65W AC adapter			
	 Intel Optane™ Memory H10 with Solid State Storage, 											Max battery life	MobileMark® 2014: 15.9 hr		
Ontical	M.2 2280, PCIe NVMe 3.0 x 4												MobileMark 2018: 10.45 hr * Battery life varies significantly with hardware configurations, settings, usage, & other factors		
Optical	None Native Intel Ethernet Connection I219-V (Non-vPro) or I219-LM (vPro)											AC adapter	AC adapter • 45W USB-C AC adapter		
Ethernet									19-LM (<i>vi</i>	rro)		1	65W USB-C AC adapter 65W USB-C AC adapter		
	via optional ThinkPad Ethernet Extension Adapter Gen 2											-	65W USB-C slim AC adapter		
WLAN + Bluetooth™ (opt)	Intel Wi-Fi 6 AX201, Wi-Fi 2x2 802.11ax + Bluetooth 5.0 * Intel AX201 card supports BT5.1 but is limited to BT5.0 by Windows OS											· · · · ·	n Optional: Windows® 10 Home 64 or Windows 10 Pro 64		
				<u>. </u>								Limited warranty			
WWAN (optional)					ie band 4G L	TF Oue	ctel FM)5CFI	EC Mod	card			1-year depot with 2-year system board repair service 1-year limited onsite service		
					band 4G L								 1-year limited onsite service 1-year + 2-year depot repair service 		
	 Integr 	rated N	Mobile	Broadb	oand 4G L	TE-A, Fi	ibocom I	L860-	GL, MIM		, M.2 card		1-year + 2-year limited onsite service		
	* For no	n-WW	AN mod	lel, it me	ans the mo	ndel is NC	OT WWAN	√ upgra	adable	,			3-year/1-vr battery depot repair service		
SIM card (opt)	Gemalt		VI					_				4	3-year/1-yr battery limited onsite service		
Dimensions	Models				D Non-touc			/ FHD Multi-touch / Privacy Guard				Mil-Spec test	MIL-STD-810G military testing		
	Carbon	Fiber	311	311.9mm x 217.0mm x 16.5mm 12.28" x 8.54" x 0.65"				-				Environment	EPEAT™ Gold; ENERGY STAR® 8.0; TCO Certified; RoHS-compliant		
	PPS		312	312.0mm x 217.2mm x 16.9mm				311.9mm x 217.2mm x 16.9mm					I		
		12.28" x 8.55" x 0.67"											I		
Weight	Models		_	D Non-to		HD FHD Multi-t			1ulti-touch	/ Privac	cy Guard		1		
		arbon Fiber 2.70 lb / 1.22 kg											I		
_	PPS		2.8	5 lb / 1.2	?9 kg 2	.93 lb / 1.3	33 kg		2.84 lb /	1.28 kg	<u> </u>				
Case color	Black		^	h	/E! /E		.h 1 \						I		
Case material	Display cover: Carbon Fiber (FHD non-touch only) or PPS; Bottom: Magnesium/Aluminum												1		
Note: The specifica							and mi-l-	t obo	00 by ===	caoir			Lenovo		
Note. The specifica	แบบร สม	ove ill	av HOLL	ue avalli	able III all a	i eulons à	ana miah	u CHAL	we ov rec	mons.			I ANOVO		

